


Macrack - Sensis 1

MACRACK
AUSTRALIA
PTY LTD

GENERAL TECHNICAL INFORMATION



All drawings and designs are property of Macrack Australia Pty Ltd. It is illegal to copy or reproduce these designs/drawings without full permission from the company.

Website: www.macrack.com.au E-mail: sales@macrack.com.au

PH: (07) 3343 9788 Fax: (07) 3849 5161

| MACRACK Australia Pty Ltd

Run Lengths

Number of Bays	2590mm clear entry bays	2743mm clear entry bays	1372mm Clear Entry Bays (Drive In)
	Length	Length	Length
1	2775	2930	1555
2	5457	5765	3020
3	8139	8599	4485
4	10821	11434	5950
5	13503	14268	7415
6	16185	17103	8880
7	18867	19937	10345
8	21549	22772	11810
9	24231	25606	13275
10	26913	28441	14740
11	29595	31275	16205
12	32277	34110	17670
13	34959	36944	19135
14	37641	39779	20600
15	40323	42613	22065
16	43005	45448	23530
17	45687	48282	24995
18	48369	51117	26460
19	51051	53951	27925
20	53733	56786	29390
21	56415	59620	30855
22	59097	62455	32320
23	61779	65289	33785
24	64461	68124	35250
25	67143	70958	36715

Standard Sizes

Frame:

Most pallet racking derives from the imperial 'foot and inches' measuring system, the MACRACK frame is designed in the same way using 3 inch increments (76.2mm). Our standard height frames are as follows:

Imperial (feet)	3'	4'	5'	6'	7'	8'	9'	10'	11'
Metric (mm)	914	1219	1524	1829	2134	2438	2743	3048	3353
Imperial (feet)	12'	13'	14'	15'	16'	17'	18'	19'	20'
Metric (mm)	3658	3962	4267	4572	4877	5182	5487	5791	6096
Imperial (feet)	21'	22'	23'	24'	25'	26'	27'	28'	29'
Metric (mm)	6501	6706	7010	7315	7620	7925	8223	8534	8840


Imperial (feet)	4'6"	5'	8'6"	9'	10'	11'	12'	13'
Metric (mm)	1372	1524	2590	2743	3048	3353	3683	3962

Load Beam:

Most pallet racking derives from the imperial 'foot and inches' measuring system, the standard MACRACK beam is designed to accommodate typical pallet sizes which also derive from these sizes. However, we can easily manufacture any length beam to suit your needs, without hassle or extra cost.

Our standard beam lengths are as follows:

Imperial (feet)	4'6"	5'	8'6"	9'	10'	11'	12'	13'
Metric (mm)	1372	1524	2590	2743	3048	3353	3683	3962



Bill of Materials

1. FOOTPLATE (STANDARD)
2. FRAME
3. BACK TIE
4. LOAD BEAM
5. HALF BAY LOAD BEAM
6. FRAME END GUARD
7. ANGLE POST PROTECTOR
8. CORNER POST PROTECTOR
9. PALLET GUIDE (DOUBLE DEEP)
10. FORK ENTRY BAR (STANDARD)
11. FORK ENTRY BAR (HEAVY DUTY)
12. DRUM/COIL SUPPORT
13. BOARD SUPPORTS
14. BOARD
15. SHELF SEPARATOR
16. MESH BACKING

Hole to Hole Dimensions

	mm		mm		mm
1	76	21	1600	41	3124
2	152	22	1676	42	3200
3	229	23	1753	43	3277
4	305	24	1829	44	3353
5	381	25	1905	45	3429
6	457	26	1981	46	3505
7	533	27	2057	47	3581
8	610	28	2134	48	3658
9	686	29	2210	49	3734
10	762	30	2286	50	3810
11	838	31	2362	51	3886
12	914	32	2438	52	3962
13	991	33	2515	53	4039
14	1067	34	2591	54	4115
15	1143	35	2667	55	4191
16	1219	36	2743	56	4267
17	1295	37	2819	57	4343
18	1372	38	2896	58	4420
19	1448	39	2972	59	4496
20	1524	40	3048	60	4572

